

**with LED lights**




The LED Peyote Ball Solid Stuffing KIT consist of:

1. A Solid Stuffing Ball (3 parts of the Sphere, a Tension Rod and Key)
2. A wire-hook to hang the Peyote Ball in the Christmas Tree
3. 20 LED light string with battery container (it needs 2 x CR2032 - not included)
4. A Hook for this container


1. When you bead a new pattern: leave out the top 5 point beads.

Zip up only the top five triangles of your Peyote Ball and continue with step 3.

When you are upgrading an already beaded pattern: undo the zips until only the top 5 triangles are connected and continue with step 2.



## with LED lights




2. Carefully break the top 5 point beads to make room for the electric wire.

Be sure to not cut the tread.



If the beads become too loose, you have to make a pass with a new tread.



3. Place the batteries (2 x CR2032 - not included) in the holder as shown in the picture.


(left = + at the top, right = - at the top)

Check if the LED lights work.

4. Close the holder and carefully unwind the wire with the LED lights.



## with LED lights




5. Insert the first LED light through the hole of the top of the Peyote Ball.



6. Pull all the 20 LED lights through the hole.




7. Use part A of the Solid Stuffing and pull all the lights through the hole at the top. Be sure to start from the outside of the ball.




## with LED lights

8.



8. Use one of the 4 holes (cable holders) in part A to secure the plastic tube on the end of the LED wire.


8.




9. Place part A in the Peyote Ball.

10. Make a small loop at the start of the LED wire.

10.



## with LED lights



11. Hook this loop to the hook inside part B of the Solid Stuffing and start winding the LED wire around the middle part of part B.

Wind all the LED lights around the middle part.



12. Place the middle part B in the Peyote Ball.  
Screw in the Tension Rod.

(Please read the tutorial of the Solid Stuffing Ball for how to use the Tension System - follow the link in the product description on the DiMarca-Online.com website)




13. Place part C on the Tension Rod and zip up the remainder of the Peyote Ball.



## with LED lights



Inside the Batterycontainer-Hook there are two small levers.



Slide the battery container in the Hook and these levers will click in the holes of the container. They are now fixed together and you can safely hang your Peyote Ball wherever you like.

If you need to replace the battery simply pull to separate the two parts loose.

## with LED lights

Use the wire hook (optional) as shown in the picture.

